

Message

From: Cook, David [David.Cook@WestonSolutions.com]
Sent: 12/4/2019 9:26:37 PM
To: Rauscher, Jon [Rauscher.Jon@epa.gov]; Delgado, Eric [Delgado.Eric@epa.gov]; Loesel, Matthew [loesel.matthew@epa.gov]; Hidalgo, Chelsea [Hidalgo.Chelsea@epa.gov]
CC: Joshua Krochmal [J.Krochmal@WestonSolutions.com]
Subject: RE: TPC Water Sampling

For the story map, Eric suggested we update and use the same language we used for ITC Story Map. I have pasted the text *below*. Eric asked for the EU to work on updating this so we can get the Water section of the story map finished.

"The ITC, TCEQ and EPA continue to conduct surface water sampling during the ITC response. The EPA surface water samples are collected from multiple locations in Buffalo Bayou and the San Jacinto River. The TCEQ water samples are from Channelview and east to the border of Galveston Bay and south of Kemah. After analyses of water sampling, the data will be shared with response partners to determine effective strategies for safe operations at the Port of Houston."

"These surface water samples are analyzed for VOCs, semi-volatile organic compounds (SVOCs), chemical oxygen demand (COD), and oil and grease (O&G). The results from the sampling event were compared to the TCEQ Surface Water Quality Standards (WQS), or to TCEQ Texas Risk Reduction Program surface water protective concentration levels (PCLs), if a WQS was not available for a chemical."

Thanks,

David Cook
START R6 IT/Data Management Lead
Weston Solutions, Inc.
(469) 666-5505 Direct
(512) 970-8836 Cell

From: Rauscher, Jon <Rauscher.Jon@epa.gov>
Sent: Wednesday, December 4, 2019 3:16 PM
To: Cook, David <David.Cook@WestonSolutions.com>; Eric Delgado <delgado.eric@epa.gov>; Loesel, Matthew <loesel.matthew@epa.gov>
Subject: RE: TPC Water Sampling

**** External Email ****

TCEQ provided a new table for this incident which was similar but not identical.

From: Cook, David <David.Cook@WestonSolutions.com>
Sent: Wednesday, December 04, 2019 3:10 PM
To: Rauscher, Jon <Rauscher.Jon@epa.gov>; Delgado, Eric <Delgado.Eric@epa.gov>; Loesel, Matthew <loesel.matthew@epa.gov>
Subject: RE: TPC Water Sampling

Is this the same table that we were comparing to for ITC?

David Cook
START R6 IT/Data Management Lead
Weston Solutions, Inc.
(469) 666-5505 Direct
(512) 970-8836 Cell

From: Rauscher, Jon <Rauscher.Jon@epa.gov>
Sent: Wednesday, December 4, 2019 2:53 PM
To: Cook, David <David.Cook@WestonSolutions.com>; Eric Delgado <delgado.eric@epa.gov>; Loesel, Matthew <loesel.matthew@epa.gov>
Subject: RE: TPC Water Sampling

**** External Email ****

From: Cook, David <David.Cook@WestonSolutions.com>
Sent: Wednesday, December 04, 2019 2:47 PM
To: Rauscher, Jon <Rauscher.Jon@epa.gov>; Delgado, Eric <Delgado.Eric@epa.gov>; Loesel, Matthew <loesel.matthew@epa.gov>
Subject: TPC Water Sampling

Hi Jon,

Can you provide me a list of the comparison tables that we are using for the water analysis?

Thanks,



David Cook
START R6 IT/Data Management Lead
Weston Solutions, Inc.
(469) 666-5505 Direct
(512) 970-8836 Cell

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.